

## DAFTAR PUSTAKA

- Adiyanti, M., Besral, Sutiawan, R. and Lintang, M. (2014), *Pola Asuh Gizi, Sanitasi Lingkungan, Dan Pemanfaatan Posyandu Dengan Kejadian Stunting Pada Baduta Di Indonesia (Analisis Data Riskedas Tahun 2010)*, Universitas Indonesia.
- Adu-Afarwuah, S., Lartey, A., Brown, K.H., Zlotkin, S., Briend, A. and Dewey, K.G. (2007), “Randomized comparison of 3 types of micronutrient supplements for home fortification of complementary foods in Ghana: effects on growth and motor development<sup>2–3</sup>”, *The American Journal of Clinical Nutrition*, Vol. 86 No. 2, pp. 412–420.
- Adu-Afarwuah, S., Young, R.R., Lartey, A., Okronipa, H., Ashorn, P., Ashorn, U., Oaks, B.M., et al. (2020), “Supplementation with Small-Quantity Lipid-Based Nutrient Supplements Does Not Increase Child Morbidity in a Semiurban Setting in Ghana: A Secondary Outcome Noninferiority Analysis of the International Lipid-Based Nutrient Supplements (iLiNS)–DYAD Randomiz”, *The Journal of Nutrition*, Vol. 150 No. 2, pp. 382–393.
- Ainy, F.N., Susanto, T. and Susumaningrum, L.A. (2021), “The relationship between environmental sanitation of family and stunting among underfive children: A cross-sectional study in the public health center of Jember, Indonesia”, *Nursing Practice Today*, available at: <https://doi.org/10.18502/npt.v8i3.5932>.
- Akseer, N.; Tasic, H.; Nnachebe Onah, M.; Wigle, J.; Rajakumar, R.; Sanchez-Hernandez, D.; Akuoku, J.; Black, R.E.; Horta, B.L.; Nwuneli, N.; et al. Economic costs of childhood stunting to the private sector in low- and middle-income countries. *Clin. Med.* 2022, 45, 101320. [CrossRef] [PubMed]
- Angraini, Wulan, dkk, 2022. AKSES JAMBAN SEHAT PADA BALITA STUNTING. *Jurnal Keperawatan Silampari* Volume 6, Nomor 1, Desember 2022
- Awasthi, S., Peto, R., Pande, V.K., Fletcher, R.H., Read, S. and Bundy, D.A.P. (2008), “Effects of Deworming on Malnourished Preschool Children in India: An Open-Labelled, Cluster-Randomized Trial”, edited by Hotez, P.J. *PLoS Neglected Tropical Diseases*, Vol. 2 No. 4, p. e223.
- Badham, J. and Sweet, L. (2010), “Stunting: An Overview”, *Sight and Life Magazine*, Vol. 3, pp. 40–47.
- Badriyah, L. and Syafiq, A. (2017), “The Association Between Sanitation, Hygiene, and Stunting in Children Under Two-Years (An Analysis of Indonesia’s Basic

- Health Research, 2013)”, *Makara Journal of Health Research*, Vol. 21 No. 2, available at:<https://doi.org/10.7454/msk.v21i2.6002>.
- Balebu, D. W., Labuan, A., Tongko, M., & Sattu, M. (2019). Hubungan Pemanfaatan Posyandu Prakonsepsi dengan Status Gizi Wanita Prakonsepsi di Desa Lokus Stunting Kabupaten Banggai: *Jurnal Kesmas Untika Luwuk : Public Health Journal*, 10(1), 12– 19. <https://doi.org/10.51888/phj.v10i1.4>
- Bandsma, R.H.J., Sadiq, K. and Bhutta, Z.A. (2019), “Persistent diarrhoea: current knowledge and novel concepts”, *Paediatrics and International Child Health*, Vol. 39 No. 1, pp. 41–47.
- Bartram, J. and Cairncross, S. (2010), “Hygiene, Sanitation, and Water: Forgotten Foundations of Health”, *PLoS Medicine*, Vol. 7 No. 11, p. e1000367.
- Bénéfice, E., Fouéré, T., Malina, R.M. and Beunen, G. (1996), “Anthropometric and motor characteristics of Senegalese children with different nutritional histories.”, *Child: Care, Health and Development*, Vol. 22 No. 3, pp. 151–65.
- Beal, T.; Tumilowicz, A.; Sutrisna, A.; Izwardy, D.; Neufeld, L.M. A review of child stunting determinants in Indonesia. *Matern. Child Nutr.* 2018, 14, e12617. [CrossRef] [PubMed]
- Bhutta, Z.A., Berkley, J.A., Bandsma, R.H.J., Kerac, M., Trehan, I. and Briend, A. (2017), “Severe childhood malnutrition”, *Nature Reviews Disease Primers*, Vol. 3 No. 1, p. 17067.
- Black, R.E., Allen, L.H., Bhutta, Z.A., Caulfield, L.E., de Onis, M., Ezzati, M., Mathers, C., et al. (2008), “Maternal and child undernutrition: global and regional exposures and health consequences”, *The Lancet*, Vol. 371 No. 9608, pp. 243–260.
- Black, R.E., Victora, C.G., Walker, S.P., Bhutta, Z.A., Christian, P., de Onis, M., Ezzati, M., et al. (2013), “Maternal and child undernutrition and overweight in low-income and middle-income countries”, *The Lancet*, Vol. 382 No. 9890, pp. 427–451.
- Blake, P.A., Ramos, S., MacDonald, K.L., Rassi, V., Gomes, T.A.T., Ivey, C., Bean, N.H., et al. (1993), “Pathogen-Specific Risk Factors and Protective Factors for Acute Diarrheal Disease in Urban Brazilian Infants”, *Journal of Infectious Diseases*, Vol. 167 No. 3, pp. 627–632.
- Bloem, M.W.; de Pee, S.; Hop, L.T.; Khan, N.C.; Lailou, A.; Minarto; Moench-Pfanner, R.; Soekarjo, D.; Soekirman; Solon, J.A.; et al. Key strategies to

- further reduce stunting in Southeast Asia: Lessons from the ASEAN countries workshop. *Food Nutr. Bull.* 2013, 34, 8–16. [CrossRef]
- Branca, F. and Ferrari, M. (2002), “Impact of Micronutrient Deficiencies on Growth: The Stunting Syndrome”, *Annals of Nutrition and Metabolism*, Vol. 46 No. Suppl. 1, pp. 8–17.
- Bueno, N.B., Lisboa, C.B., Clemente, A.G., Antunes, R.T., Sawaya, A.L. and Florêncio, T.T. (2018), “Effectiveness of a stunting recovery program for children treated in a specialized center”, *Pediatric Research*, Vol. 83 No. 4, pp. 851–857.
- Cairncross, S., Hunt, C., Boisson, S., Bostoen, K., Curtis, V., Fung, I.C. and Schmidt, W.-P. (2010), “Water, sanitation and hygiene for the prevention of diarrhoea”, *International Journal of Epidemiology*, Vol. 39 No. 1, available at: <https://doi.org/10.1093/ije/dyq035>.
- Cameron, L.A., Shah, M. and Olivia, S. (2013), “Impact evaluation of a large-scale rural sanitation project in Indonesia”, *World Bank Policy Research Working Paper*, JSTOR.
- Casale, D. and Desmond, C. (2016), “Recovery from stunting and cognitive outcomes in young children: evidence from the South African Birth to Twenty Cohort Study”, *Journal of Developmental Origins of Health and Disease*, Vol. 7 No. 2, pp. 163–171.
- Checkley, W., Buckley, G., Gilman, R.H., Assis, A.M., Guerrant, R.L., Morris, S.S., Mølbak, K., et al. (2008), “Multi-country analysis of the effects of diarrhoea on childhood stunting”, *International Journal of Epidemiology*, Vol. 37 No. 4, pp. 816–830.
- Clermont, A. and Walker, N. (2017), “Nutrition Interventions in the Lives Saved Tool (LiST)”, *The Journal of Nutrition*, Vol. 147 No. 11, pp. 2132S–2140S.
- Corsi, D.J., Mejía-Guevara, I. and Subramanian, S.V. (2016), “Risk factors for chronic undernutrition among children in India: Estimating relative importance, population attributable risk and fractions”, *Social Science & Medicine*, Vol. 157, pp. 165–185.
- Cumming, O. and Cairncross, S. (2016), “Can water, sanitation and hygiene help eliminate stunting? Current evidence and policy implications”, *Maternal & Child Nutrition*, Vol. 12, pp. 91–105.
- Curtis, V. and Cairncross, S. (2003), “Effect of washing hands with soap on diarrhoea risk in the community: a systematic review”, *The Lancet Infectious Diseases*, Vol. 3 No. 5, pp. 275–281.

- Danaei, G., Andrews, K.G., Sudfeld, C.R., Fink, G., McCoy, D.C., Peet, E., Sania, A., et al. (2016), “Risk Factors for Childhood Stunting in 137 Developing Countries: A Comparative Risk Assessment Analysis at Global, Regional, and Country Levels”, edited by Tumwine, J.K. *PLOS Medicine*, Vol. 13 No. 11, p. e1002164.
- Dangour, A.D., Watson, L., Cumming, O., Boisson, S., Che, Y., Velleman, Y., Cavill, S., et al. (2013), “Interventions to improve water quality and supply, sanitation and hygiene practices, and their effects on the nutritional status of children”, *Cochrane Database of Systematic Reviews*, available at: <https://doi.org/10.1002/14651858.CD009382.pub2>.
- de Onis, M., & Branca, F. 2016. Childhood Stunting: A Global Perspective. *Maternal and Child Nutrition*, 12, 12–26. <https://doi.org/10.1111/mcn.12231>
- Dewey, K.G., Stewart, C.P., Wessells, K.R., Prado, E.L. and Arnold, C.D. (2021), “Small-quantity lipid-based nutrient supplements for the prevention of child malnutrition and promotion of healthy development: overview of individual participant data meta-analysis and programmatic implications”, *The American Journal of Clinical Nutrition*, Vol. 114, pp. 3S-14S.
- Fatmawati, F., Arbiansih, A. and Musdalifah, M. (2016), “Faktor Yang Mempengaruhi Kejadian Diare Anak Usia 3-6 Tahun di TK Raudhatul Athfal Alauddin Makassar”, *Journal of Islamic Nursing*, Vol. 1 No. 1 SE-Vol.1 No.1, pp. 21–32.
- Fenn, B., Bulti, A.T., Nduna, T., Duffield, A. and Watson, F. (2012), “An evaluation of an operations research project to reduce childhood stunting in a food-insecure area in Ethiopia”, *Public Health Nutrition*, Vol. 15 No. 9, pp. 1746–1754.
- Fewtrell, L., Kaufmann, R.B., Kay, D., Enanoria, W., Haller, L. and Colford, J.M. (2005), “Water, sanitation, and hygiene interventions to reduce diarrhoea in less developed countries: a systematic review and meta-analysis”, *The Lancet Infectious Diseases*, Vol. 5 No. 1, pp. 42–52.
- Fregonese, F., Siekmans, K., Kouanda, S., Druetz, T., Ly, A., Diabaté, S. and Haddad, S. (2017), “Impact of contaminated household environment on stunting in children aged 12–59 months in Burkina Faso”, *Journal of Epidemiology and Community Health*, Vol. 71 No. 4, pp. 356–363.
- Frongillo, E.A., Leroy, J.L. and Lapping, K. (2019), “Appropriate Use of Linear Growth Measures to Assess Impact of Interventions on Child Development and Catch-Up Growth”, *Advances in Nutrition*, Vol. 10 No. 3, pp. 372–379.
- Galicia, L., Grajeda, R. and de Romaña, D.L. (2016), “Nutrition situation in Latin America and the Caribbean: current scenario, past trends, and data gaps.”, *Pan*

*American Journal of Public Health*, Vol. 40 No. 2, pp. 104–113.

- Guerrant, R.L., DeBoer, M.D., Moore, S.R., Scharf, R.J. and Lima, A.A.M. (2013), “The impoverished gut—a triple burden of diarrhoea, stunting and chronic disease”, *Nature Reviews Gastroenterology & Hepatology*, Vol. 10 No. 4, pp. 220–229.
- Hall, A., Hewitt, G., Tuffrey, V. and de Silva, N. (2008), “A review and meta-analysis of the impact of intestinal worms on child growth and nutrition”, *Maternal & Child Nutrition*, Vol. 4 No. s1, pp. 118–236.
- Horta, B.L., Santos, R.V., Welch, J.R., Cardoso, A.M., dos Santos, J.V., Assis, A.M.O., Lira, P.C., et al. (2013), “Nutritional status of indigenous children: findings from the First National Survey of Indigenous People’s Health and Nutrition in Brazil”, *International Journal for Equity in Health*, Vol. 12 No. 1, p. 23.
- Hotez, P.J., Bundy, D.A.P., Beegle, K., Brooker, S., Drake, L., de Silva, N., Montresor, A., et al. (2006), *Helminth Infections: Soil-Transmitted Helminth Infections and Schistosomiasis, Disease Control Priorities in Developing Countries*.
- Huicho, L., Vidal-Cárdenas, E., Akseer, N., Brar, S., Conway, K., Islam, M., Juarez, E., et al. (2020), “Drivers of stunting reduction in Peru: a country case study”, *The American Journal of Clinical Nutrition*, Vol. 112, pp. 816S-829S.
- Humphrey, J.H. (2009), “Child undernutrition, tropical enteropathy, toilets, and handwashing”, *The Lancet*, Vol. 374 No. 9694, pp. 1032–1035.
- Irianti, S., Prasetyoputra, P., Dharmayanti, I., Azhar, K. and Hidayangsih, P.S. (2019), “The role of drinking water source, sanitation, and solid waste management in reducing childhood stunting in Indonesia”, *IOP Conference Series: Earth and Environmental Science*, Vol. 344 No. 1, available at: <https://doi.org/10.1088/1755-1315/344/1/012009>.
- Jiménez-Morán, E., Bacardí-Gascón, M. and Jiménez-Cruz, A. (2013), “[Efficacy of zinc on lineal growth on Latin American children younger than 5; systematic review].”, *Nutricion Hospitalaria*, Vol. 28 No. 5, pp. 1574–9.
- Johri, M., Sylvestre, M.-P., Koné, G.K., Chandra, D. and Subramanian, S. V. (2019), “Effects of improved drinking water quality on early childhood growth in rural Uttar Pradesh, India: A propensity-score analysis”, edited by Zereyesus, Y. *PLOS ONE*, Vol. 14 No. 1, p. e0209054.
- Kementerian Kesehatan. (2014a), *Riset Kesehatan Dasar 2013 (2013 Basic Health Research)*, Jakarta.

- Kementerian Kesehatan. (2014b), “Peraturan Menteri Kesehatan Republik Indonesia No. 3 Tahun 2014 tentang Sanitasi Total Berbasis Masyarakat”, Kementerian Kesehatan, Jakarta.
- Kementerian Kesehatan. (2018), *Riset Kesehatan Dasar 2018 (2018 Basic Health Research)*, Jakarta.
- Khan, G.N., Kureishy, S., Ariff, S., Rizvi, A., Sajid, M., Garzon, C., Khan, A.A., et al. (2020), “Effect of lipid-based nutrient supplement—Medium quantity on reduction of stunting in children 6-23 months of age in Sindh, Pakistan: A cluster randomized controlled trial”, edited by Wieringa, F. *PLOS ONE*, Vol. 15 No. 8, p. e0237210.
- Kibemo, B., Mulugeta, A., Hailu, D. and Gelaw, B. (2022), “The association of socio-demographic and environmental factors with stunting among under-five children in Hawassa City, Sidama National Regional State, Ethiopia”, *Journal of Nutritional Science*, Vol. 11, p. e33.
- King, C.H. (2010), “Parasites and poverty: The case of schistosomiasis”, *Acta Tropica*, Vol. 113 No. 2, pp. 95–104.
- Khusniyah. In A. Susanto Dwi. 2015. Hubungan Status Pekerjaan Ibu Dan Pengetahuan Ibu Mengenai Mpasi Terhadap Status Gizi Batita Di Posyandu Sukowidodo 1,2, Dan 3 Desa Ngargorejo, Boyolali. Surakarta: Program Studi Diii Gizi Fakultas Ilmu Kesehatan Universitas Muhammadiyah Surakarta; 2011
- Kwami, C.S., Godfrey, S., Gavilan, H., Lakhanpaul, M. and Parikh, P. (2019), “Water, Sanitation, and Hygiene: Linkages with Stunting in Rural Ethiopia”, *International Journal of Environmental Research and Public Health*, Vol. 16 No. 20, p. 3793.
- Kyle, U.G., Shekerdemian, L.S. and Coss-Bu, J.A. (2015), “Growth Failure and Nutrition Considerations in Chronic Childhood Wasting Diseases”, *Nutrition in Clinical Practice*, Vol. 30 No. 2, pp. 227–238.
- Lelijveld, N., Seal, A., Wells, J.C., Kirkby, J., Opondo, C., Chimwezi, E., Bunn, J., et al. (2016), “Chronic disease outcomes after severe acute malnutrition in Malawian children (ChroSAM): a cohort study”, *The Lancet Global Health*, Vol. 4 No. 9, pp. e654–e662.
- Leroy, J.L. and Frongillo, E.A. (2019), “Perspective: What Does Stunting Really Mean? A Critical Review of the Evidence”, *Advances in Nutrition*, Vol. 10 No. 2, pp. 196–204.

- Lesiapeto, Balita Stunting. In A. Paramitha. 2012. Faktor-faktor yang berhubungan dengan kejadian stunting pada balita 25-60 bulan di Kelurahan Kalibiru Depok Tahun 2012.
- Luby, S.P., Agboatwalla, M., Feikin, D.R., Painter, J., Billhimer, W., Altaf, A. and Hoekstra, R.M. (2005), "Effect of handwashing on child health: a randomised controlled trial", *The Lancet*, Vol. 366 No. 9481, pp. 225–233.
- Mara, D., Lane, J., Scott, B. and Trouba, D. (2010), "Sanitation and Health", *PLoS Medicine*, Vol. 7 No. 11, p. e1000363.
- Meshram, I.I., Laxmaiah, A., Gal Reddy, C., Ravindranath, M., Venkaiah, K. and Brahmam, G.N. V. (2011), "Prevalence of under-nutrition and its correlates among under 3 year-old children in rural areas of Andhra Pradesh, India", *Annals of Human Biology*, Vol. 38 No. 1, pp. 93–101.
- Medhin. Balita Stunting. In A. Paramitha. 2012. Faktor-faktor yang berhubungan dengan kejadian stunting pada balita 25-60 bulan di Kelurahan Kalibiru Depok Tahun 2012.
- Millward, D.J. (2017), "Nutrition, infection and stunting: the roles of deficiencies of individual nutrients and foods, and of inflammation, as determinants of reduced linear growth of children", *Nutrition Research Reviews*, Vol. 30 No. 1, pp. 50–72.
- Mzumara, B., Bwembya, P., Halwiindi, H., Mugode, R. and Banda, J. (2018), "Factors associated with stunting among children below five years of age in Zambia: evidence from the 2014 Zambia demographic and health survey", *BMC Nutrition*, Vol. 4 No. 1, p. 51.
- Novianti, S., & Padmawati, R. S. (2020). Hubungan Faktor Lingkungan dan Perilaku dengan Kejadian Stunting Pada Balita : Scoping Review. *Jurnal Kesehatan Komunitas Indonesia*, 16(1), 153–164. <https://jurnal.unsil.ac.id/index.php/jkki/article/view/1786>
- Olo, A., Mediani, H.S. and Rakhmawati, W. (2020), "Hubungan Faktor Air dan Sanitasi dengan Kejadian Stunting pada Balita di Indonesia", *Jurnal Obsesi: Jurnal Pendidikan Anak Usia Dini*, Vol. 5 No. 2, pp. 1113–1126.
- de Onis, M., Blössner, M. and Borghi, E. (2012), "Prevalence and trends of stunting among pre-school children, 1990–2020", *Public Health Nutrition*, Vol. 15 No. 1, pp. 142–148.
- de Onis, M. and Branca, F. (2016), "Childhood stunting: a global perspective", *Maternal & Child Nutrition*, Vol. 12, pp. 12–26.

- Habimana, JDD, et al, 2023. Prevalence and Correlates of Stunting among Children Aged 6–23 Months from Poor Households in Rwanda
- Paknawin-Mock, J., Jarvis, L., Jahari, A., Husaini, M. and Pollitt, E. (2000), “Community-level determinants of child growth in an Indonesian tea plantation”, *European Journal of Clinical Nutrition*, Vol. 54 No. S2, pp. S28–S42.
- Phuka, J.C., Maleta, K., Thakwalakwa, C., Cheung, Y.B., Briend, A., Manary, M.J. and Ashorn, P. (2008), “Complementary Feeding With Fortified Spread and Incidence of Severe Stunting in 6- to 18-Month-Old Rural Malawians”, *Archives of Pediatrics & Adolescent Medicine*, Vol. 162 No. 7, p. 619.
- Phuka, J.C., Maleta, K., Thakwalakwa, C., Cheung, Y.B., Briend, A., Manary, M.J. and Ashorn, P. (2009), “Postintervention growth of Malawian children who received 12-mo dietary complementation with a lipid-based nutrient supplement or maize-soy flour”, *The American Journal of Clinical Nutrition*, Vol. 89 No. 1, pp. 382–390.
- Prüss-Üstün, A., Bos, R., Gore, F. and Bartram, J. (2008), *Safer Water, Better Health: Costs, Benefits and Sustainability of Interventions to Protect and Promote Health.*, WHO.
- Prüss-Ustün, A., Bartram, J., Clasen, T., Colford, J.M., Cumming, O., Curtis, V., Bonjour, S., et al. (2014), “Burden of disease from inadequate water, sanitation and hygiene in low- and middle-income settings: a retrospective analysis of data from 145 countries”, *Tropical Medicine & International Health*, Vol. 19 No. 8, pp. 894–905.
- Purba, I.G., Sunarsih, E., Trisnaini, I. and Sitorus, R.J. (2020), “Environmental Sanitation and Incidence of Stunting in Children Aged 12-59 Months in Ogan Ilir Regency”, *Jurnal Kesehatan Lingkungan*, Vol. 12 No. 3, p. 189.
- Rahayu, B., & Darmawan, S. (2019). Hubungan karakteristik balita, orang tua, higiene dan sanitasi lingkungan terhadap stunting pada balita. *Binawan Student Journal*, 1(1), 22–27. <http://journal.binawan.ac.id/bsj/arti cle/view/46>
- Rahmuniyati, M. E., & Sahayati, S. (2021). Implementasi Program Sanitasi Total Berbasis Masyarakat (STBM) untuk Mengurangi Kasus Stunting Di Puskesmas Wilayah Kabupaten Sleman. *PREPOTIF : Jurnal Kesehatan Masyarakat*, 5(1), 80–95



- Rahmawati, V. E., Pamungkasari, E. P., & Murti, B. (2018). Determinants of Stunting and Child Development in Jombang District. *Journal of Maternal and Child Health*, 3, 68–80.
- RISKESDAS, 2013. Penelitian Kesehatan Dasar, Jakarta, Indonesia, 2013.
- RISKESDAS, 2018. Penelitian Kesehatan Dasar, Jakarta, Indonesia, 2018.
- Riskesdas. 2018. Hasil Utama Riset Kesehatan Dasar Indonesia (Riskesdas) Penyakit Tidak Menular 2018
- Setiawan, E., Machmud, R. dan Masrul, M. (2018) “Faktor-Faktor yang Berhubungan dengan Kejadian Stunting pada Anak Usia 24-59 Bulan di Wilayah Kerja Puskesmas Andalas Kecamatan Padang Timur Kota Padang Tahun 2018,” *Jurnal Kesehatan Andalas*, 7(2), hal. 275. doi: 10.25077/jka.v7i2.813
- Sinatria, A.K. and Muniroh, L. (2019), “Hubungan Faktor Water, Sanitation, and Hygiene (WASH) dengan Stunting di Wilayah Kerja Puskesmas Kotakulon, Kabupaten Bondowoso”, *Amerta Nutrition*, Vol. 3 No. 3.
- Slodia, M.R., Ningrum, P.T. and Sulistiyani, S. (2022), “Analisis Hubungan Antara Sanitasi Lingkungan dengan Kejadian Stunting di Kecamatan Cepu, Kabupaten Blora, Jawa Tengah”, *Jurnal Kesehatan Lingkungan Indonesia*, Vol. 21 No. 1, pp. 59–64.
- Sodha, S. V., Menon, M., Trivedi, K., Ati, A., Figueroa, M.E., Ainslie, R., Wannemuehler, K., et al. (2011), “Microbiologic effectiveness of boiling and safe water storage in South Sulawesi, Indonesia”, *Journal of Water and Health*, Vol. 9 No. 3, pp. 577–585.
- Soekatri, M. Y. E., Sandjaja, S. dan Syauqy, A. (2020) “Stunting was associated with reported morbidity, parental education and socioeconomic status in 0.5–12-year-old Indonesian children,” *International Journal of Environmental Research and Public Health*, 17(17), hal. 1–9. doi: 10.3390/ijerph17176204
- Spears, D., Ghosh, A. and Cumming, O. (2013), “Open Defecation and Childhood Stunting in India: An Ecological Analysis of New Data from 112 Districts”, edited by Chaturvedi, V. *PLoS ONE*, Vol. 8 No. 9, p. e73784.
- Steenbeek, R., Schellart, A.J., Mulders, H., Anema, J.R., Kroneman, H. and Besseling, J. (2011), “The development of instruments to measure the work disability assessment behaviour of insurance physicians”, *BMC Public Health*, Vol. 11 No. 1, p. 1.
- Stewart, C.P., Iannotti, L., Dewey, K.G., Michaelsen, K.F. and Onyango, A.W. (2013), “Contextualising complementary feeding in a broader framework for

- stunting prevention”, *Maternal & Child Nutrition*, Vol. 9, pp. 27–45.
- Sudfeld, C.R., McCoy, D.C., Fink, G., Muhihi, A., Bellinger, D.C., Masanja, H., Smith, E.R., et al. (2015), “Malnutrition and Its Determinants Are Associated with Suboptimal Cognitive, Communication, and Motor Development in Tanzanian Children”, *The Journal of Nutrition*, Vol. 145 No. 12, pp. 2705–2714.
- Syam DM. Hubungan Kebiasaan Cuci Tangan, Mengelola Air Minum dan Makanan dengan Stunting di Sulawesi Tengah. 2020;3(1):15–22.
- Telan, A.B dkk, 2022. Hubungan Sanitasi Lingkungan dan Kejadian Stunting Di Kota Kupang. *Oehonis : The Journal of Environmental Health Research*
- Torlesse, H., Cronin, A.A., Sebayang, S.K. and Nandy, R. (2016), “Determinants of stunting in Indonesian children: evidence from a cross-sectional survey indicate a prominent role for the water, sanitation and hygiene sector in stunting reduction”, *BMC Public Health*, Vol. 16 No. 1, p. 669.
- Unicef, WHO and World Bank. (2014), *Joint Press Release: New Data Show Child Mortality Rates Falling Faster than Ever*.
- Unicef, WHO and World Bank. (2020), “Levels and trends in child malnutrition: key findings of the 2019 Edition of the Joint Child Malnutrition Estimates”, World Health Organization, Geneva.
- Uliyanti, Tamtomo D., Anantanyu S. Faktor Yang Berhubungan Dengan Kejadian Stunting Pada Balita Usia 24-59 Bulan Uliyanti1. *J Vokasi Kesehat*. 2017;3(2):1– 11
- Vaivada, T., Akseer, N., Akseer, S., Somaskandan, A., Stefopoulos, M. and Bhutta, Z.A. (2020), “Stunting in childhood: an overview of global burden, trends, determinants, and drivers of decline”, *The American Journal of Clinical Nutrition*, Vol. 112, pp. 777S-791S.
- Vilcins, D., Sly, P.D. and Jagals, P. (2018), “Environmental Risk Factors Associated with Child Stunting: A Systematic Review of the Literature”, *Annals of Global Health*, Vol. 84 No. 4, p. 551.
- Wahdaniyah, W., Ningsi, N.W. and Sari, D. (2022), “Hubungan Sanitasi Lingkungan Dengan Kejadian Stunting Pada Baduta di Kabupaten Majene”, *Bina Generasi: Jurnal Kesehatan*, Vol. 13 No. 2, pp. 39–48.
- Wahdaniyah, dkk, 2019. Hubungan sanitasi lingkungan dengan kejadian stunting pada baduta di Kabupaten Majene. *Bina Generasi ; Jurnal Kesehatan*

- Walker, C.L.F., Rudan, I., Liu, L., Nair, H., Theodoratou, E., Bhutta, Z.A., O'Brien, K.L., et al. (2013), "Global burden of childhood pneumonia and diarrhoea", *The Lancet*, Vol. 381 No. 9875, pp. 1405–1416.
- Wemakor, A., Garti, H., Azongo, T., Garti, H., & Atosona, A. (2018). Young maternal age is a risk factor for child undernutrition in Tamale Metropolis , Ghana. *BMC Research Notes*, 1–5. <https://doi.org/10.1186/s13104-018-3980-7>
- WHO. (2017), *Guidelines for Drinking-Water Quality*, 4th ed., WHO, Geneva.
- WHO. (2018a), *Stunting in a Nutshell*, Geneva, available at: [http://www.who.int/nutrition/healthygrowthproj\\_stunted\\_videos/en/](http://www.who.int/nutrition/healthygrowthproj_stunted_videos/en/).
- WHO. (2018b), "Malnutrition", *World Health Organization*.
- WHO, 2023. The Global Health Observatory. <https://www.who.int/data/gho/data/themes/topics/joint-child-malnutrition-estimates-unicef-who-wb>
- Widati, E., Zeinora, Z. and Hapsari, F. (2021), "Pengenalan Literasi Komputer dan E-PPGBM pada Kader Posyandu Cendrawasih", *Dharma Raflesia : Jurnal Ilmiah Pengembangan Dan Penerapan IPTEKS*, Vol. 19 No. 1, pp. 101–110.
- Wolf, J., Prüss-Ustün, A., Cumming, O., Bartram, J., Bonjour, S., Cairncross, S., Clasen, T., et al. (2014), "Systematic review: Assessing the impact of drinking water and sanitation on diarrhoeal disease in low- and middle-income settings: systematic review and meta-regression", *Tropical Medicine & International Health*, Vol. 19 No. 8, pp. 928–942.
- Yuliana, W. (2019). Darurat stunting dengan melibatkan keluarga. Yayasan Ahmar Cendekia Indonesia.
- Zairinayati, Z. and Purnama, R. (2019), "Hubungan Hygiene dan Sanitasi Lingkungan dengan Kejadian Stunting pada Balita", *Babul Ilmi Jurnal Ilmiah Multi Science Kesehatan*, Vol. 10 No. 1.